

EUROPEAN PATENT OFFICE

Patent Abstracts of Japan

PUBLICATION NUMBER : 09316701
PUBLICATION DATE : 09-12-97


APPLICATION DATE : 27-05-96
APPLICATION NUMBER : 08156103

APPLICANT : FAMILY:KK;

INVENTOR : YAMADA SEIICHI;

INT.CL. : A41B 9/02 A61F 5/00

TITLE : BRIEFS FOR HEMORRHOIDAL
PATIENT



ABSTRACT : PROBLEM TO BE SOLVED: To provide briefs for hemorrhoidal patient capable of easing the pain of the patient in sitting position of full-time wearing.

SOLUTION: This briefs is composed of a buttock space holding pad 16 having buttock pads 18 mounted inside the back body 13 of the briefs main body 11 set at the required shape, and at the sitting position in wearing time each left and right buttock is brought into contact with each buttock pad 18 allowing to keep the space.

COPYRIGHT: (C)1997,JPO

*** NOTICES ***

JPO and INPIT are not responsible for any damages caused by the use of this translation.

1.This document has been translated by computer. So the translation may not reflect the original precisely.

2.*** shows the word which can not be translated.

3.In the drawings, any words are not translated.

CLAIMS

[Claim(s)]

[Claim 1]a transformation of the main part 11 of trousers made into required shape -- a hip which has the buttocks reliance seats 18 and 28 in part 13 inner surface -- alienation -- the pads 16 and 26 for maintenance being attached enabling free attachment and detachment, and, contacting the each buttocks reliance seats 18 and 28 in the hip 15 on either side at the time of a wear seating position -- alienation -- trousers for hemorrhoids characterized by coming to be constituted so you may make it hold.

[Translation done.]

* NOTICES *

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001]

[Field of the Invention]This invention relates to the suitable trousers for hemorrhoids for the chronic disease person of hemorrhoids.

[0002]

[Description of the Prior Art]considering [that there is / in which Japanese people take in fibrous food so much / generally much defecation, that it is a lifestyle of a seating position type that the structure of a rest room is unsuitable to defecation posture, etc.] -- a wart -- hemorrhoids -- it goes out and frequent occurrence and aggravation of hemorrhoids, such as hemorrhoids and hole hemorrhoids, are made to invite And in order for the chronic disease person of this hemorrhoids to make the hemorrhoids affected part press that it is also at a hip on either side under a seating position state at any rate in the bottom of a standing state, it is accompanied by an always intense pain. The actual condition is that carry out a deer and what softens the pain at the time of the seating position of the chronic disease person of this hemorrhoids from before is not yet proposed.

[0003]This invention tends to provide the convenient trousers for hemorrhoids which can always wear and can soften the pain of the chronic disease person of the hemorrhoids at the time of a seating position in view of this actual condition.

[0004]

[Means for Solving the Problem]namely, a transformation of the main part 11 of trousers by which this invention was made required shape -- a hip which has the buttocks reliance seats 18 and 28 in part 13 inner surface -- alienation -- the pads 16 and 26 for maintenance being attached enabling free attachment and detachment, and, contacting the each buttocks reliance seats 18 and 28 in the hip 15 on either side at the time of a wear seating position -- alienation -- let trousers for hemorrhoids characterized by coming to be constituted be a gist so you may make it hold.

[0005]The above-mentioned trousers for hemorrhoids are always worn in the body, and use is presented with them. and a thing made to extend the hip 15 on either side to a method of outside in contact with the each buttocks reliance seats 18 and 28 at the time of a seating position -- certain -- alienation -- you make it able to hold, pressure of the hemorrhoids affected part can be reduced remarkably, and pain can be softened.

[0006]

[Embodiment of the Invention]Below, one example which shows this invention to a drawing is described. The main part of trousers made of cloth formed in the shape of [11 fits the body] approximately briefs, and 12 and 13 are the past parts and back body sections which constitute this main part 11 of trousers. 14 -- the right-and-left hip 15 at the time of wear -- it should correspond -- this -- later self -- the inner pocket formed in the inner surface of the part 13, and the hip in which 16 has elasticity a little which was attached to this inner pocket 14 via the necessary fitting member 17 enabling free attachment and detachment -- alienation -- it being a pad for

maintenance and, this hip -- alienation -- the pad 16 for maintenance is formed in the approximately **** shape of having the buttocks reliance seat 18 of a both-sides couple, and this each buttocks reliance seat 18 is gradually made into the shape of thin meat towards the direction of a tip from the base end.

[0007]Like ****, the constituted example is always worn in the body and use is presented with it. and -- at the time of a seating position, as shown in drawing 5, it is also at a prescribed interval by making the right-and-left hip 15 extend to the method of outside in contact with the buttocks reliance seat 18 of each both sides -- certain -- alienation -- you can make it hold For this reason, in the time of a seating position, pressure of the hemorrhoids affected part by the right-and-left hip 15 can be reduced remarkably, and pain can be softened dramatically.

[0008]in addition -- in the above-mentioned example -- a hip -- alienation -- the pad 16 for maintenance, although formed in approximately **** shape, the hip which you make it form in approximately annular, make it form in the shape of an approximate circle board as it is not limited to this and shown in drawing 6 and drawing 7, and made the annular buttocks reliance seat 28 form in the periphery -- alienation -- the pad 26 for maintenance may be used. Although the main part 11 of trousers is formed in the shape of [fit for the body] approximately briefs, it is not limited to this and you may make it form in other publicly known trousers shape fit for the body.

[0009]

[Effect of the Invention]the transformation of the main part 11 of trousers which was made into required shape by the order of a more than according to this invention -- the hip which has the buttocks reliance seats 18 and 28 in part 13 inner surface -- alienation, since the pads 16 and 26 for maintenance are attached enabling free attachment and detachment, at the time of a wear seating position, it is also at a prescribed interval by making the right-and-left hip 15 extend to the method of outside in contact with the each buttocks reliance seats 18 and 28 -- certain -- alienation -- you can make it hold For this reason, also in the time of a seating position, pressure of the hemorrhoids affected part by the right-and-left hip 15 can be reduced remarkably, and pain can be softened dramatically. That manufacture is not only dramatically easy, but this invention is simple for structure and it can provide it cheaply.

[Translation done.]

*** NOTICES ***

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

TECHNICAL FIELD

[Field of the Invention]This invention relates to the suitable trousers for hemorrhoids for the chronic disease person of hemorrhoids.

[Translation done.]

* NOTICES *

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

EFFECT OF THE INVENTION

[Effect of the Invention]the transformation of the main part 11 of trousers made into required shape by order [more than] in this invention -- the hip which has the buttocks reliance seats 18 and 28 in part 13 inner surface -- alienation, since the pads 16 and 26 for maintenance are attached enabling free attachment and detachment, The right-and-left hip 15 is made to extend to the method of outside in contact with the buttocks reliance seats 18 and 28 respectively at the time of a wear seating position.

therefore -- it is also at a prescribed interval -- certain -- alienation -- you can make it hold For this reason, also in the time of a seating position, pressure of the hemorrhoids affected part by the right-and-left hip 15 can be reduced remarkably, and pain can be softened dramatically. That manufacture is not only dramatically easy, but this invention is simple for structure and it can provide it cheaply.

[Translation done.]

*** NOTICES ***

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

TECHNICAL PROBLEM

[Description of the Prior Art]considering [that there is / in which Japanese people take in fibrous food so much / generally much defecation, that it is a lifestyle of a seating position type that the structure of a rest room is unsuitable to defecation posture, etc.] -- a wart -- hemorrhoids -- it goes out and frequent occurrence and aggravation of hemorrhoids, such as hemorrhoids and hole hemorrhoids, are made to invite And in order for the chronic disease person of this hemorrhoids to make the hemorrhoids affected part press that it is also at a hip on either side under a seating position state at any rate in the bottom of a standing state, it is accompanied by an always intense pain. The actual condition is that carry out a deer and what softens the pain at the time of the seating position of the chronic disease person of this hemorrhoids from before is not yet proposed. [0003]This invention tends to provide the convenient trousers for hemorrhoids which can always wear and can soften the pain of the chronic disease person of the hemorrhoids at the time of a seating position in view of this actual condition.

[Translation done.]

*** NOTICES ***

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.**** shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

MEANS

[Means for Solving the Problem]namely, a transformation of the main part 11 of trousers by which this invention was made required shape -- a hip which has the buttocks reliance seats 18 and 28 in part 13 inner surface -- alienation -- the pads 16 and 26 for maintenance being attached enabling free attachment and detachment, and, contacting the each buttocks reliance seats 18 and 28 in the hip 15 on either side at the time of a wear seating position -- alienation -- let trousers for hemorrhoids characterized by coming to be constituted be a gist so you may make it hold.

[0005]The above-mentioned trousers for hemorrhoids are always worn in the body, and use is presented with them. and a thing made to extend the hip 15 on either side to a method of outside in contact with the each buttocks reliance seats 18 and 28 at the time of a seating position -- certain -- alienation -- you make it able to hold, pressure of the hemorrhoids affected part can be reduced remarkably, and pain can be softened.

[0006]

[Embodiment of the Invention]Below, one example which shows this invention to a drawing is described. The main part of trousers made of cloth formed in the shape of [11 fits the body] approximately briefs, and 12 and 13 are the past parts and back body sections which constitute this main part 11 of trousers. 14 -- the right-and-left hip 15 at the time of wear -- it should correspond -- this -- later self -- the inner pocket formed in the inner surface of the part 13, and the hip in which 16 has elasticity a little which was attached to this inner pocket 14 via the necessary fitting member 17 enabling free attachment and detachment -- alienation -- it being a pad for maintenance and, this hip -- alienation -- the pad 16 for maintenance is formed in the approximately **** shape of having the buttocks reliance seat 18 of a both-sides couple, and this each buttocks reliance seat 18 is gradually made into the shape of thin meat towards the direction of a tip from the base end.

[0007]Like ****, the constituted example is always worn in the body and use is presented with it. and -- at the time of a seating position, as shown in drawing 5, it is also at a prescribed interval by making the right-and-left hip 15 extend to the method of outside in contact with the buttocks reliance seat 18 of each both sides -- certain -- alienation -- you can make it hold For this reason, in the time of a seating position, pressure of the hemorrhoids affected part by the right-and-left hip 15 can be reduced remarkably, and pain can be softened dramatically.

[0008]in addition -- in the above-mentioned example -- a hip -- alienation -- the pad 16 for maintenance, although formed in approximately **** shape, the hip which you make it form in approximately annular, make it form in the shape of an approximate circle board as it is not limited to this and shown in drawing 6 and drawing 7, and made the annular buttocks reliance seat 28 form in the periphery -- alienation -- the pad 26 for maintenance may be used. Although the main part 11 of trousers is formed in the shape of [fit for the body] approximately briefs, it is not limited to this and you may make it form in other publicly known trousers shape fit for the body.

[Translation done.]

* NOTICES *

JPO and INPIT are not responsible for any damages caused by the use of this translation.

1.This document has been translated by computer. So the translation may not reflect the original precisely.

2.*** shows the word which can not be translated.

3.In the drawings, any words are not translated.

DESCRIPTION OF DRAWINGS

[Brief Description of the Drawings]

[Drawing 1]It is a front view showing one example of this invention.

[Drawing 2]a hip -- alienation -- it is a perspective view showing the pad 16 for maintenance.

[Drawing 3]a hip -- alienation -- the fitting state of the pad 16 for maintenance is shown -- it is an enlarged plan view in part.

[Drawing 4]It is a sectional view which meets the A-A line of drawing 1.

[Drawing 5]It is a sectional view showing condition of use.

[Drawing 6]other hips -- alienation -- it is a perspective view showing the pad 28 for maintenance.

[Drawing 7]It is a sectional view which meets the B-B line of drawing 6.

[Description of Notations]

11 The main part of trousers

13 Back body section

15 Hip

16 and 26 hip -- alienation -- the pad for maintenance

18 and 28 Buttocks reliance seat

[Translation done.]

* NOTICES *

JPO and INPIT are not responsible for any damages caused by the use of this translation.


1.This document has been translated by computer. So the translation may not reflect the original precisely.

2.**** shows the word which can not be translated.


3.In the drawings, any words are not translated.

DRAWINGS


[Drawing 1]




[Drawing 2]




[Drawing 3]




[Drawing 4]




[Drawing 5]



[Drawing 6]



[Drawing 7]



[Translation done.]